

quinaldate 4-oxidoreductase

Cat. No. EXWM-1423

Lot. No. (See product label)

Introduction

Synonyms

Description The enzyme from Pseudomonas sp. AK2 also acts on quinoline-8-carboxylate, whereas that from Serratia

marcescens 2CC-1 will oxidize nicotinate; quinaldate is a substrate for both of these enzymes. 2,4,6-Trinitrobenzene sulfonate, 1,4-benzoquinone, 1,2-naphthoquinone, nitroblue tetrazolium, thionine and menadione will serve as an electron acceptor for the former enzyme and ferricyanide for the latter; Meldola blue, iodonitrotetrazolium chloride, phenazine methosulfate, 2,6-dichlorophenolindophenol and cytochrome c will act as electron acceptors for both.

quinaldic acid 4-oxidoreductase

Product Information

Form Liquid or lyophilized powder

EC Number EC 1.3.99.18

CAS No. 149885-77-8

Reaction quinaldate + acceptor + H2O = kynurenate + reduced acceptor

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

Storage and Shipping Information

Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1