

2,3-epoxybenzoyl-CoA dihydrolase

Cat. No. EXWM-4880

Lot. No. (See product label)

Introduction

Description The enzyme is involved in the aerobic benzoyl-CoA catabolic pathway of the bacterium Azoarcus evansii.

The enzyme converts 2,3-epoxy-2,3-dihydrobenzoyl-CoA to its oxepin form prior to the ring-opening and

the formation of a dialdehyde intermediate.

Synonyms 2,3-dihydro-2,3-dihydroxybenzoyl-CoA lyase/hydrolase (deformylating); BoxC; dihydrodiol transforming

enzyme; benzoyl-CoA oxidation component C; 2,3-dihydro-2,3-dihydroxybenzoyl-CoA 3,4-didehydroadipyl-CoA semialdehyde-lyase (formate-forming); benzoyl-CoA-dihydrodiol lyase (incorrect); 2,3-dihydro-2,3-

dihydroxybenzoyl-CoA 3,4-didehydroadipyl-CoA-semialdehyde-lyase (formate-forming)

Product Information

Form Liquid or lyophilized powder

EC Number EC 4.1.2.44

Reaction 2,3-epoxy-2,3-dihydrobenzoyl-CoA + 2 H2O = (3Z)-6-oxohex-3-enoyl-CoA + formate

Notes This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

Storage and Shipping Information

Store it at +4 °C for short term. For long term storage, store it at -20 °C~-80 °C.

Tel: 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1