

## **Recombinant Human Histidine ammonia-lyase**

Cat. No. EXWM-5289

Lot. No. (See product label)

## Introduction

Description

This enzyme is a member of the aromatic amino acid lyase family, other members of which are EC 4.3.1.23 (tyrosine ammonia-lyase), EC 4.3.1.24 (phenylalanine ammonia-lyase) and EC 4.3.1.25 (phenylalanine/tyrosine ammonia-lyase). The enzyme contains the cofactor 3,5-dihydro-5-methylidene-4H-imidazol-4-one (MIO), which is common to this family. This unique cofactor is formed autocatalytically by cyclization and dehydration of the three amino-acid residues alanine, serine and glycine. This enzyme catalyses the first step in the degradation of histidine and the product, urocanic acid, is further metabolized to glutamate.

## **Product Information**

**Species** Human

Source E.coli

**Form** Liquid

**EC Number** EC 4.3.1.3

**CAS No.** 9013-75-6

Molecular

72.5 kDa

Weight

Purity

Greater than 80% as determined by SDS-PAGE.

Buffer 50 mM Tris-HCl, pH 8.0, 8 M urea

**Reaction** L-histidine = urocanate + NH3

**Notes** This item requires custom production and lead time is between 5-9 weeks. We can custom produce

according to your specifications.

## Storage and Shipping Information

**Storage** Store at -80°C

**Tel:** 1-631-562-8517 1-516-512-3133 **Email:** info@creative-enzymes.com

1/1